VOL. 588, NOS. 1+2 JOURNAL OF CHROMATOGRAPHY DECEMBER 27, 1991

CONTENTS

(Abstracts/Contents Lists published in Analytical Abstracts, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Chromatography Abstracts, Current Contents/Life Sciences, Current Contents/Physical, Chemical & Earth Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Excerpta Medica, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CRNS, Referativnyi Zhurnal, Research Alert and Science Citation Index)

REGULAR PAPERS

Column Liquid Chromatography

Effect of sample solvent on band profiles in preparative liquid chromatography using non-aqueous reversed-phase high-performance liquid chromatography
by P. Jandera and G. Guiochon (Knoxville and Oak Ridge, TN, USA) (Received June 25th, 1991) 1

Assessment of a thermospray interface for the coupling of high-performance liquid chromatography and Fourier transform infrared spectrometry
by A. M. Robertson and D. Littlejohn (Glasgow, UK), M. Brown (Cambridge, UK) and C. J. Dowle (Middlesbrough, UK) (Received July 30th, 1991) 15

High-performance liquid chromatography on polypyrrole-modified silica
by H. Ge and G. G. Wallace (Wollongong, Australia) (Received August 6th, 1991) 25

High-performance liquid chromatographic determination of products of autoxidation of isopropylbenzene derivatives
by S. Baj and Z. Kulicki (Gliwice, Poland) (Received July 15th, 1991) 33

High-performance liquid chromatography of diastereomeric flavanone glycosides in *Citrus* on a β-cyclodextrin-bonded stationary phase (Cyclobond I)
by M. Krause and R. Galensa (Braunschweig, Germany) (Received July 8th, 1991) 41

Detection of zearalenone in cereal extracts using high-performance liquid chromatography with post-column derivatization
by M. T. Hetmanski and K. A. Scudamore (Slough, UK) (Received July 9th, 1991) 47

Separation of neutral mono- and oligosaccharides derivatized with ethyl *p*-aminobenzoate by high-performance liquid chromatography on an amine-bonded vinyl alcohol copolymer column
by T. Akiyama (Tokyo, Japan) (Received August 2nd, 1991) 53

Precolumn fluorescence tagging reagent for carboxylic acids in high-performance liquid chromatography: 4-substituted-7-aminoalkylamino-2,1,3-benzoxadiazoles
by T. Toyo'oka, M. Ishibashi and Y. Takeda (Tokyo, Japan), K. Nakashima and S. Akiyama (Nagasaki, Japan) and S. Uzu and K. Imai (Tokyo, Japan) (Received July 23rd, 1991) 61

Reversed-phase liquid chromatography–mass spectrometry of complex mixtures of natural triacylglycerols with chloride-attachment negative chemical ionization
by A. Kuksis, L. Marai and J. J. Myher (Toronto, Canada) (Received July 16th, 1991) 73

General and selective isolation procedure for high-performance liquid chromatographic determination of anabolic steroids in tissues
by A. Laganà (Bologna, Italy) and A. Marino (Rome, Italy) (Received May 21st, 1991) 89

Determination of sterols and diterpenoids from brown algae (Cystoseiraceae)
by L. Piovetti and P. Deffo (La Garde, France) and R. Valls and G. Peiffer (Marseille, France) (Received July 8th, 1991) 99

Applications of automated amino acid analysis using 9-fluorenylmethyl chloroformate
by P. A. Haynes and D. Sheumack (North Ryde, Australia), L. G. Greig and J. Kibby (Dingley, Australia) and J. W. Redmond (North Ryde, Australia) (Received July 3rd, 1991) 107

Automated two-dimensional liquid chromatographic system for mapping proteins in highly complex mixtures
by T. Isobe, K. Uchida, M. Taoka, F. Shinkai, T. Manabe and T. Okuyama (Tokyo, Japan) (Received July 12th, 1991) 115

On-line characterization of polyethylene glycol-modified proteins
by M. Kunitani, G. Dollinger, D. Johnson and L. Kresin (Emeryville, CA, USA) (Received July 16th, 1991) 125

(Continued overleaf)

Contents (continued)

Rapid ion-exchange chromatography for preparative separation of proteins. IV. Application to bovine carbonic anhydrase III from skeletal muscle
by K. Borén, M. Larsson, N. Bergenhem and U. Carlsson (Linköping, Sweden) (Received July 4th, 1991) 139

High-performance liquid chromatographic study of some biologically active analogues of arabinosylcytosine
by V. Reichelová, L. Novotny and D. Zima (Bratislava, Czechoslovakia) (Received July 1st, 1991) 147

High-performance affinity chromatography of messenger RNA
by T. A. Goss and M. Bard (Indianapolis, IN, USA) and H. W. Jarrett (Memphis, TN, USA) (Received July 23rd, 1991) . 157

Selective and sensitive determination of lactone and hydroxy acid forms of camptothecin and two derivatives (CPT-11 and SN-38) by high-performance liquid chromatography with fluorescence detection
by K. Akimoto, A. Goto and K. Ohya (Tokyo, Japan) (Received July 12th, 1991) 165

Determination of a small amount of niacin in foodstuffs by high-performance liquid chromatography
by S. Hirayama and M. Maruyama (Tokyo, Japan) (Received June 18th, 1991) 171

Reversal of elution order during direct enantiomeric separation of pyriproxyfen on a cellulose-based chiral stationary phase
by M. Okamoto and H. Nakazawa (Osaka, Japan) (Received July 26th, 1991) 177

High-performance liquid chromatographic analysis of oxytetracycline in chinook salmon following administration of medicated feed
by R. G. Aoyama, K. M. McErlane, H. Erber, D. D. Kitts and H. M. Burt (Vancouver, Canada) (Received July 12th, 1991) 181

Ion-pairing high-performance liquid chromatographic method for the determination of 5-aminosalicylic acid and related impurities in bulk chemical
by B. S. Kersten, T. Catalano and Y. Rozenman (Skokie, IL, USA) (Received July 22nd, 1991) 187

Elution behaviour of polyamic acid and polyamide–imide in size-exclusion chromatography
by Y. Mukoyama (Chiba, Japan), N. Shimizu and T.-I. Sakata (Ibaraki, Japan) and S. Mori (Mie, Japan) (Received July 25th, 1991) 195

Chromatographic behaviour of the *closo*-$[B_{12}H_{12}]^{2-}$ derivatives on hydroxyethylmethacrylate gels
by B. Grüner, Z. Plzák and I. Vinš (Prague, Czechoslovakia) (Received August 7th, 1991) 201

Ion chromatographic analysis of the purity and synthesis of sulfonium and selenonium ions
by J. L. Hoffman (Louisville, KY, USA) (Received June 3rd, 1991) 211

Gas Chromatography

GCSIM: a gas–liquid chromatography simulator for educational purposes
by J. C. Reijenga (Eindhoven, Netherlands) (Received July 11th, 1991) 217

Gas chromatographic properties of immobilized poly(ethylene glycol) stationary phases
by M. Cigánek, M. Dressler and J. Teplý (Brno, Czechoslovakia) (Received July 26th, 1991) 225

Comparison of four liquid crystal stationary phases used above and below their melting point temperatures for the gas chromatography of some volatile oil constituents
by T. J. Betts (Perth, Australia) (Received July 6th, 1991) 231

Photoemissive ionisation source for ion mobility detectors
by P. Begley, R. Corbin, B. E. Foulger and P. G. Simmonds (Poole, UK) (Received July 19th, 1991) 239

Isotope effect in gas–liquid chromatography of labelled compounds
by M. Matucha (Prague, Czechoslovakia), W. Jockisch (Leipzig, Germany), P. Verner (Prague, Czechoslovakia) and G. Anders (Leipzig, Germany) (Received June 11th, 1991) 251

Quality control procedure for the gas chromatographic determination of light hydrocarbons in petroleum liquid
by G. P. Cooles, A. P. O'Brien and J. J. Watt (Middlesex, UK) (Received April 15th, 1991) 259

Gas chromatographic analysis of fatty acid methyl esters: avoiding discrimination by programmed temperature vaporizing injection
by K. Eder, A. M. Reichlmayr-Lais and M. Kirchgessner (Freising, Germany) (Received July 9th, 1991) 265

Superoxide chemical transformation of diolepoxide polyaromatic hydrocarbon DNA adducts. Determination of benzo[*a*]pyrene-*r*-7-*t*-8,9,*c*-10-tetrahydrotetrol by gas chromatography
by W. Li, C. Sotiriou-Leventis, S. Abdel-Baky, D. H. Fisher and R. W. Giese (Boston, MA, USA) (Received July 12th, 1991) 273

Gas chromatographic–mass spectrometric analysis of ginkgolides produced by *Ginkgo biloba* cell culture
by N. Chauret (Pointe-Claire-Dorval, Canada) and J. Carrier, M. Mancini, R. Neufeld, M. Weber and J. Archambault (Montreal, Canada) (Received July 29th, 1991) 281

Supercritical Fluid Chromatography

Determination of the hold-up time and column outlet density for capillary supercritical fluid chromatography
by R. L. Riester, C. Yan, D. E. Martire (Washington, DC, USA) (Received July 4th, 1991) 289

Planar Chromatography

Use of hematoporphyrin as a fluorescent stain for detection of lipids in high-performance thin-layer chromatography
by J. H. Aiken and C. W. Huie (Binghamton, NY, USA) (Received July 2nd, 1991) 295

Quantitative planar chromatography of phospholipids with different fatty acid compositions
by G. Lendrath, A. Bonekamp and Lj. Kraus (Hamburg, Germany) (Received June 25th, 1991) 303

Application of the iodine–azide reagent for selective detection of thiophosphoryl compounds in thin-layer chromatography
by Z. H. Kudzin, A. Kotyński and P. Kiełbasiński (Łódź, Poland) (Received April 24th, 1991) 307

Electrophoresis

Optimization of resolution in capillary zone electrophoresis: combined effect of applied voltage and buffer concentration
by I. Z. Atamna, H. J. Issaq, G. M. Muschik and G. M. Janini (Frederick, MD, USA) (Received June 11th, 1991) . . 315

Quantitative aspects of indirect UV detection in capillary zone electrophoresis
by M. W. F. Nielen (Arnhem, Netherlands) (Received July 5th, 1991) 321

High-performance capillary zone electrophoresis of carbohydrates in the presence of alkaline earth metal ions
by S. Honda, K. Yamamoto, S. Suzuki, M. Ueda and K. Kakehi (Higashi-osaka, Japan) (Received July 26th, 1991) . 327

Determination of antihistamines in pharmaceuticals by capillary electrophoresis
by C. P. Ong, C. L. Ng, H. K. Lee and S. F. Y. Li (Singapore, Singapore) (Received July 4th, 1991) 335

SHORT COMMUNICATIONS

Column Liquid Chromatography

Synthesis and characterization of stationary phases on the basis of silicas modified with epoxidized polybutadienes. IV. Chromatographic experiments on a new amino-functionalized stationary phase for high-performance liquid chromatography
by U. Erler and G. Heublein (Jena, Germany) (Received August 29th, 1991) 340

Simultaneous determination of yohimbine hydrochloride, strychnine nitrate and methyltestosterone by ion-pair high-performance liquid chromatography
by R. Chiba and Y. Ishii (Tokyo, Japan) (Received September 24th, 1991) 344

High-performance liquid chromatographic analysis of diastereomers and enantiomers of pyrroloisoquinoline antidepressants
by R. D. Shah and C. A. Maryanoff (Spring House, PA, USA) (Received September 26th, 1991) 348

Enantiomeric separation of racemic hydroperoxides and related alcohols
by A. Kunath, E. Höft, H.-J. Hamann and J. Wagner (Berlin, Germany) (Received August 15th, 1991) 352

High-performance liquid chromatography of heptaene polyenes: assay of heptaene produced by *Streptomyces griseoviridis*
by O. Raatikainen (Kuopio, Finland) (Received August 27th, 1991) 356

Gas Chromatography

Hydrogen bonding. XIX. The characterisation of two poly(methylphenylsiloxane)s
by M. H. Abraham, G. S. Whiting, J. Andonian-Haftvan and J. W. Steed (London, UK) and J. W. Grate (Washington, DC, USA) (Received July 16th, 1991) 361

(Continued overleaf)

BOOK REVIEWS

Handbook of thin-layer chromatography (edited by J. Sherma and B. Fried), reviewed by K. Macek (Prague, Czechoslovakia) 365

Luminescence techniques in chemical and biochemical analysis (edited by W. R. G. Bayens, D. De Keukeleire and K. Korkides), by C. Gooijer (Amsterdam, Netherlands) 367

Author Index 369

In articles with more than one author, the name of the author to whom correspondence should be addressed is indicated in the article heading by a 6-pointed asterisk (*).